Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	29	(US-20040103275-\$ or US-20040193513-\$).did. or (US-6298383-\$ or US-6539431-\$ or US-6418466-\$ or US-5764887-\$ or US-5586260-\$ or US-5544322-\$). did. or (WO-2003025697-\$ or US-6957199-\$ or JP-10126405-\$ or JP-10135945-\$ or JP-11177582-\$ or US-20020150091-\$ or US-20030142673-\$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 18:50
S2	. 29	S1 @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 18:03
S3	233	(packet\$4 with Forward\$5) (AAA or Authentic\$6 or Credential or account or login) (Forward\$5 or interce\$5) (Forward\$5 or interce\$5) (redirect\$4 or forward\$4 or manager\$3 or Authent\$6 or discover\$5) ((Domain\$3 near2 Name\$3 ner2 System\$\$3) or (DNS)) ((Remote\$3 near2 Authenticat\$5 near2 Dial\$3 near2 In near3 User\$3 near3 Service\$3) or (RADIUS)) ((Uniform\$3 near2 Resourc\$4 near2 Locator\$4) or (URL) or (HyperText\$4 near2 Transfe\$4 near2 Protocol\$4) or (HTTP) or (web near2 page))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 18:01
S4	132	(packet\$4 with Forward\$5) (AAA or Authentic\$6 or Credential or account or login) (Forward\$5 or interce\$5) (Forward\$5 or interce\$5) (redirect\$4 or forward\$4 or manager\$3 or Authent\$6 or discover\$5) ((Domain\$3 near2 Name\$3 ner2 System\$\$3) or (DNS)) ((Remote\$3 near2 Authenticat\$5 near2 Dial\$3 near2 In near3 User\$3 near3 Service\$3) or (RADIUS)) ((Uniform\$3 near2 Resourc\$4 near2 Locator\$4)or (URL) or (web near2 (page\$2 or site\$2))) ((HyperText\$4 near2 Transfe\$4 near2 Protocol\$4)or(HTTP))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 18:02

						,,
S5	14	(packet\$4 with Forward\$5) (AAA or Authentic\$6 or Credential or account or login) (Forward\$5 or interce\$5) (redirect\$4 or forward\$4 or manager\$3 or Authent\$6 or discover\$5) ((Domain\$3 near2 Name\$3 ner2 System\$\$3) or (DNS)) ((Remote\$3 near2 Authenticat\$5 near2 Dial\$3 near2 In near3 User\$3 near3 Service\$3) or (RADIUS)) ((Uniform\$3 near2 Resourc\$4 near2 Locator\$4)or (URL) or (web near2 (page\$2 or site\$2))) ((HyperText\$4 near2 Transfe\$4 near2 Protocol\$4)or(HTTP)) (intercept\$4 with request\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 18:03
S6	. 12	S5 @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 18:22
\$7	37	("20020010783" "20020022483" "20020026525" "20020032766" "20020075844" "20020107971" "20020147800" "20030009561" "20030051026" "20030069973" "20030093563" "20030106067" "20030126233" "20030229809" "20040001433" "6006272" "6023563" "6128666" "6154839" "6292838" "6370605" "6434627" "6490259" "6502130" "6539473" "6591304" "6643269" "6654792" "6747675" "6748439" "6801960" "6832322" "6870840" "6912223" "6912567" "6981265" "6982967").PN. OR ("7127524"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/10/24 18:19
S8	37	S7 @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 18:22

S9 1	(US-20030035409-\$ or US-20040103275-\$ or US-20040193513-\$).did. or (US-6704873-\$ or US-7039037-\$ or US-7127524-\$ or US-5544322-\$ or US-6418466-\$ or US-6957199-\$ or US-6298383-\$ or US-5586260-\$ or US-5764887-\$ or US-6539431-\$). did. or (WO-2003025697-\$ or WO-2004079542-\$ or US-20040103275-\$ or	US-PGPUB; USPAT; DERWENT	AND	ON	2006/10/24 19:14
S10 1	JP-10135945-\$ or JP-10126405-\$ or JP-11177582-\$).did. (US-20040193513-\$ or US-20040103275-\$ or US-20030035409-\$).did. or (US-6957199-\$ or US-6539431-\$ or US-6418466-\$ or US-6298383-\$ or US-5764887-\$ or US-5586260-\$ or US-5544322-\$ or US-7127524-\$ or US-7039037-\$ or US-6704873-\$). did. or (US-20040103275-\$ or WO-2003025697-\$ or JP-10135945-\$ or JP-11177582-\$ or JP-10126405-\$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2006/10/25 10:46

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	10	RATHI-MANISH.in. SHARMA-RAJESH.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 20:00
52	1065	713/182.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 20:01
S3	0	10/645459	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 20:03
S4	440	(packet\$3 adj forwarding).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 20:06
S5	82	Management of authentication discovery policy in a computer network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 20:06
S6	0	Management of authentication discovery policy in a computer network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/10/23 20:06
S7	2	"6418466".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND 	ON	2006/10/23 20:12
58	0	DNS HTTP IP URL RADIUS (authenticator near3 discovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 20:14

					· 	
S9	0	(authenticator near3 discovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 20:14
S10	0	(authenticator near3 discovery).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON .	2006/10/23 20:14
S11	8	(authentic\$5 near3 discover\$5).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 20:15
S12	3	S11 @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 13:52
S13	30	("5202921" "5241594" "5276735" "5349643" "5434918" "5455953" "5481720" "5491752" "5495533" "5495607" "5502766" "5511122" "5544322" "5586260" "5596745" "5649103" "5655077" "5678041" "5684950" "5706349" "5764887" "5777989" "5818936" "5867667").PN. OR ("6418466"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/10/23 20:20
S14	30	S13 @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 17:04
S15	6	((Authentic\$6 or Credential) with discover\$5) (Credential\$2 with (redirect\$4 or forward\$4 or manager\$3 or Authent\$6)) (packet\$4 with Forward\$5) ((Domain\$3 near2 Name\$3 ner2 System\$\$3) or (DNS)) ((Remote\$3 near2 Authenticat\$5 near2 Dial\$3 near2 In near3 User\$3 near3 Service\$3) or (RADIUS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 13:55

,			I	I		
S16	2	S15 @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 13:55
S17	16	((Authentic\$6 or Credential) same discover\$5) (Credential\$2 same (redirect\$4 or forward\$4 or manager\$3 or Authent\$6)) (packet\$4 with Forward\$5) ((Domain\$3 near2 Name\$3 ner2 System\$\$3) or (DNS)) ((Remote\$3 near2 Authenticat\$5 near2 Dial\$3 near2 In near3 User\$3 near3 Service\$3) or (RADIUS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	
S18	12	S17 @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON ·	2006/10/24 15:03
S19	0	((Authentic\$6 or Credential) same discover\$5) (Credential\$2 same (redirect\$4 or forward\$4 or manager\$3 or Authent\$6)) ((packet\$4 with Forward\$5) ((Domain\$3 near2 Name\$3 ner2 System\$\$3) or (DNS)) ((Remote\$3 near2 Authenticat\$5 near2 Dial\$3 near2 In near3 User\$3 near3 Service\$3) or (RADIUS)) ((Uniform\$3 near2 Resourc\$4 near2 Locator\$4) or (URL) or (HyperText\$4 near2 Transfe\$4 near2 Protocol\$4) or (HTTP))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:02
S20	10	((Authentic\$6 or Credential) same discover\$5) (Credential\$2 same (redirect\$4 or forward\$4 or manager\$3 or Authent\$6)) (packet\$4 with Forward\$5) ((Domain\$3 near2 Name\$3 ner2 System\$\$3) or (DNS)) ((Remote\$3 near2 Authenticat\$5 near2 Dial\$3 near2 In near3 User\$3 near3 Service\$3) or (RADIUS)) ((Uniform\$3 near2 Resourc\$4 near2 Locator\$4) or (URL) or (HyperText\$4 near2 Transfe\$4 near2 Protocol\$4) or (HTTP) or (web near2 page))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:04

S21	10	S20 @ad<"20030820"	US-PGPUB;	AND	ON	2006/10/24 15:06
521	10	320 @au< 20030820	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	·		2000/10/21 13:00
S22	0	((packet\$4 with Forward\$5).ti. or (packet\$4 with Forward\$5).ab.) ((Authentic\$6 or Credential) same discover\$5) (Credential\$2 same (redirect\$4 or forward\$4 or manager\$3 or Authent\$6)) ((Domain\$3 near2 Name\$3 ner2 System\$\$3) or (DNS)) ((Remote\$3 near2 Authenticat\$5 near2 Dial\$3 near2 In near3 User\$3 near3 Service\$3) or (RADIUS)) ((Uniform\$3 near2 Resourc\$4 near2 Locator\$4) or (URL) or (HyperText\$4 near2 Transfe\$4 near2 Protocol\$4) or (HTTP) or (web near2 page))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:05
S23	14	((packet\$4 with Forward\$5).ti. or (packet\$4 with Forward\$5).ab.) ((Authentic\$6 or Credential) same (redirect\$4 or forward\$4 or manager\$3 or Authent\$6 or discover\$5)) ((Domain\$3 near2 Name\$3 ner2 System\$\$3) or (DNS)) ((Remote\$3 near2 Authenticat\$5 near2 Dial\$3 near2 In near3 User\$3 near3 Service\$3) or (RADIUS)) ((Uniform\$3 near2 Resourc\$4 near2 Locator\$4) or (URL) or (HyperText\$4 near2 Transfe\$4 near2 Protocol\$4) or (HTTP) or (web near2 page))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:12
S24	11	S23 @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:38

	 ,		·····	r		
S25		((AAA or Authentic\$6 or Credential or account or login) (Forward\$5 or interce\$5) (redirect\$4 or forward\$4 or manager\$3 or Authent\$6 or discover\$5)).ti. (packet\$4 with Forward\$5) ((Domain\$3 near2 Name\$3 ner2 System\$\$3) or (DNS)) ((Remote\$3 near2 Authenticat\$5 near2 Dial\$3 near2 In near3 User\$3 near3 Service\$3) or (RADIUS)) ((Uniform\$3 near2 Resourc\$4 near2 Locator\$4) or (URL) or (HyperText\$4 near2 Transfe\$4 near2 Protocol\$4) or (HTTP) or (web near2 page))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:17
S26	0	((AAA or Authentic\$6 or Credential or account or login) (Forward\$5 or interce\$5) (redirect\$4 or forward\$4 or manager\$3 or Authent\$6 or discover\$5)).ti. (packet\$4 same Forward\$5) ((Domain\$3 near2 Name\$3 ner2 System\$\$3) or (DNS)) ((Remote\$3 near2 Authenticat\$5 near2 Dial\$3 near2 In near3 User\$3 near3 Service\$3) or (RADIUS)) ((Uniform\$3 near2 Resourc\$4 near2 Locator\$4) or (URL) or (HyperText\$4 near2 Transfe\$4 near2 Protocol\$4) or (HTTP) or (web near2 page))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:18
S27	223	((AAA or Authentic\$6 or Credential or account or login) (Forward\$5 or interce\$5) (redirect\$4 or forward\$4 or manager\$3 or Authent\$6 or discover\$5)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:18
S28		((AAA or Authentic\$6 or Credential or account or login) (Forward\$5 or interce\$5) (redirect\$4 or forward\$4 or manager\$3 or Authent\$6 or discover\$5)).ti. ((Domain\$3 near2 Name\$3 ner2 System\$\$3) or (DNS)) ((Remote\$3 near2 Authenticat\$5 near2 Dial\$3 near2 In near3 User\$3 near3 Service\$3) or (RADIUS)) ((Uniform\$3 near2 Resourc\$4 near2 Locator\$4) or (URL) or (HyperText\$4 near2 Transfe\$4 near2 Protocol\$4) or (HTTP) or (web near2 page))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:19

S29	0	((AAA or Authentic\$6 or Credential or account or login) (Forward\$5 or interce\$5) (redirect\$4 or forward\$4 or manager\$3 or Authent\$6 or discover\$5)).ti. ((Domain\$3 near2 Name\$3 ner2 System\$\$3) or (DNS)) ((Remote\$3 near2 Authenticat\$5 near2 Dial\$3 near2 In near3 User\$3 near3 Service\$3) or (RADIUS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:20
S30	1	((AAA or Authentic\$6 or Credential or account or login) (Forward\$5 or interce\$5) (redirect\$4 or forward\$4 or manager\$3 or Authent\$6 or discover\$5)).ti. ((Domain\$3 near2 Name\$3 ner2 System\$\$3) or (DNS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:23
S31	65	((AAA or Authentic\$6 or Credential or account or login) (Forward\$5 or interce\$5) (redirect\$4 or forward\$4 or manager\$3 or Authent\$6 or discover\$5)).ab. ((Domain\$3 near2 Name\$3 ner2 System\$\$3) or (DNS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:24
S32	13	((AAA or Authentic\$6 or Credential or account or login) (Forward\$5 or interce\$5) (redirect\$4 or forward\$4 or manager\$3 or Authent\$6 or discover\$5)).ab. ((Domain\$3 near2 Name\$3 ner2 System\$\$3) or (DNS)) ((Remote\$3 near2 Authenticat\$5 near2 Dial\$3 near2 In near3 User\$3 near3 Service\$3) or (RADIUS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 16:02
S33	7	S32 @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:38
S34	196	((AAA or Authentic\$6 or Credential or account or login) with (Forward\$5 or interce\$5) with (redirect\$4 or forward\$4 or manager\$3 or Authent\$6 or discover\$5)) ((Domain\$3 near2 Name\$3 ner2 System\$\$3) or (DNS)) ((Remote\$3 near2 Authenticat\$5 near2 Dial\$3 near2 In near3 User\$3 near3 Service\$3) or (RADIUS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 16:05

S35	0	((AAA or Authentic\$6 or Credential or account or login) (Forward\$5 or interce\$5)).ti. ((AAA or Authentic\$6 or Credential or account or login) with (Forward\$5 or interce\$5) with (redirect\$4 or forward\$4 or manager\$3 or Authent\$6 or discover\$5)) ((Domain\$3 near2 Name\$3 ner2 System\$\$3) or (DNS)) ((Remote\$3 near2 Authenticat\$5 near2 Dial\$3 near2 In near3 User\$3 near3 Service\$3) or (RADIUS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 16:07
S36	0	((AAA or Authentic\$6 or Credential or account or login) (Forward\$5 or interce\$5)).ti. ((AAA or Authentic\$6 or Credential or account or login) same (Forward\$5 or interce\$5) same (redirect\$4 or forward\$4 or manager\$3 or Authent\$6 or discover\$5)) ((Domain\$3 near2 Name\$3 ner2 System\$\$3) or (DNS)) ((Remote\$3 near2 Authenticat\$5 near2 Dial\$3 near2 In near3 User\$3 near3 Service\$3) or (RADIUS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 16:08
S37	0	((AAA or Authentic\$6 or Credential or account or login) (Forward\$5 or interce\$5)).ti. ((AAA or Authentic\$6 or Credential or account or login) (Forward\$5 or interce\$5) (redirect\$4 or forward\$4 or manager\$3 or Authent\$6 or discover\$5)) ((Domain\$3 near2 Name\$3 ner2 System\$\$3) or (DNS)) ((Remote\$3 near2 Authenticat\$5 near2 Dial\$3 near2 In near3 User\$3 near3 Service\$3) or (RADIUS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 17:03
S38	. 13	((AAA or Authentic\$6 or Credential or account or login) (Forward\$5 or interce\$5)).ab. ((AAA or Authentic\$6 or Credential or account or login) (Forward\$5 or interce\$5) (redirect\$4 or forward\$4 or manager\$3 or Authent\$6 or discover\$5)) ((Domain\$3 near2 Name\$3 ner2 System\$\$3) or (DNS)) ((Remote\$3 near2 Authenticat\$5 near2 Dial\$3 near2 In near3 User\$3 near3 Service\$3) or (RADIUS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 17:06

S39	7	S38 @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 17:09
S40	0	((packet\$4 with Forward\$5).ti.) (((AAA or Authentic\$6 or Credential or account or login) (Forward\$5 or interce\$5)).ab.) ((AAA or Authentic\$6 or Credential or account or login) (Forward\$5 or interce\$5) (redirect\$4 or forward\$4 or manager\$3 or Authent\$6 or discover\$5)) ((Domain\$3 near2 Name\$3 ner2 System\$\$3) or (DNS)) ((Remote\$3 near2 Authenticat\$5 near2 Dial\$3 near2 In near3 User\$3 near3 Service\$3) or (RADIUS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 17:08
S41	16	((packet\$4 with Forward\$5).ti.) and (((AAA or Authentic\$6 or Credential or account or login) (Forward\$5 or interce\$5)).ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND ·	ON	2006/10/24 17:09
S42	12	S41 @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 17:09
S43	15	(US-20040103275-\$ or US-20040193513-\$).did. or (US-6298383-\$ or US-6539431-\$ or US-6418466-\$ or US-5764887-\$ or US-5586260-\$ or US-5544322-\$). did. or (WO-2003025697-\$ or US-6957199-\$ or JP-10126405-\$ or JP-10135945-\$ or JP-11177582-\$ or US-20020150091-\$ or US-20030142673-\$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2006/10/24 17:48